UI GreenMetric Questionnaire

University : Universitas PendidikanIndonesia
Country : Indonesia
Web Address : http://upi.edu

[4] Water (WR)

[4.3] Water Efficient Appliances Usage (e.g. hand washing taps, toilet flush, etc.)

<table>
<tr><td>
Automatic Faucet (Wastafel) Indoor</td><td>
Automatic Faucet (Wastafel) Outdoor</td></tr>
<tr><td colspan="2">Water Efficient Appliances Usage (School of Postgraduate Program (SPs))</td></tr>
<tr><td>
Automatic Faucet (Wastafel) Outdoor</td><td>
Automatic taps</td></tr>
<tr><td colspan="2">Wastafel Outdoor (other buildings)</td></tr>
</table>



Low Flush WC

Description:
water conservation measures include, cistermisers (automatic control of urinal flushing), waterless urinals, low flush WC's and low flo taps and automatic taps.

Appliance	Total Number	Total number water Efficient appliances	Percentage
Wastafel Outdoor (Postgraduate Program Building)	6	6	100%
Wastafel Indoor (Postgraduate Program Building)	40	40	100%
Wastafel Outdoor (other buildings)	43	10	23%
Wastafel Indoor (other buildings)	860	130	15%
Low flush WC	1,720	1,720	100%
		Average Percentage	**67.6%**

Additional evidence link:

- http://humas.upi.edu/siaga-covid-19-upi/